T-REC5

Cable Retractor



T−REC5 is a cable retractor designed to be installed in meeting rooms, classroom or other AV site. T−REC5 extends common AV connector types and is easy to install and use

FEATURES

- Provides Convenient and Easy–to–Use Connecting - Pull the cable to extend up to 1.75m (5.6ft) from the installation site; the cable automatically locks in position to the desired length. When finished, slightly pull the cable again and it retracts into the housing
- Improved Design - Including a round Coax flexible cable, quiet and smooth retraction
- Simple and Flexible Installation Options - Install Horizontally (recommended) or vertically under Kramer's New TBUS models or attach directly to the underside of a table
- Available in 2 common configurations - USB–C FF — 4K@60 (4:4:4); 10Gbps; 100W power charging or HDMI− 4K@60 4:4:4

TECHNICAL SPECIFICATIONS

Ports	1 male Connector (fixed cable end) 35cm according to the retractor type (USB C or HDMI)
Environmental Conditions	Operating Temperature 0° to +40°C (32° to 104°F)
	Storage Temperature −40° to +70°C (−40° to 158°F)
	Humidity 10% to 90%, RHL non−condensing
Regulatory Compliance (Standards Compliance)	Safety CE
	Environmental ROHS, REACH
Enclosure	Type Plastic (ABS PC)
	Color: Black
	Fixed Cable Length: 35cm (13.8”)
	Retractable Cable Length: 170cm (67”)
General	Product Dimensions 25.5 x17.5 x6.1cm (10” x 6.9” x2.4) L,W,H
	Product Weight 0.99Kg (2.19lds) approx
	Shipping Dimensions 34 x 22 x 9.4cm (13.4” x 8.7” x 3.7”) L,W,H
	Shipping Weight 1.65Kg (3.64lbs) approx
Accessories	Included: Four M5x10 screws, T−REC5−M−H (horizontal) mounting bracket

CONFIGURATIONS

T–REC5–U32/FF	Table Retractor type 5 for USBC 3.2/FF — 4K@60 (4:4:4); 10Gbps; 100W power charging. Cable 175cm length; 35cm tail
T-REC5-HDMI	Table Retractor type 5 for HDMI — 4K@60 (4:4:4);. Cable 175cm length; 35cm tail
T–REC5–M–H Mounting Bracket	Horizontal mounting bracket for Retractor type 5
T–REC5–M–V Mounting Bracket	Vertical mounting bracket for Retractor type 5